

FIG. 1




FIG. 2

3/40




FIG. 3




FIG. 4




FIG. 5

6/40




FIG. 6A




FIG. 6B




FIG. 7

8/40




FIG. 8






FIG. 9

10/40






FIG. 10

10072014-020702

11/40






FIG. 11

10072014.020702




FIG. 12




FIG. 13

14/40





FIG. 14

2020-11-02 14:07:02

15/40




FIG. 15

16/40




FIG. 16

10072014.020702



17/40




FIG. 17

10072014.020702

18/40




FIG. 18

10072014.020702




FIG. 19

20/40




FIG. 20A

10072014.020702





FIG. 20B




FIG. 21




FIG. 22

24/40




FIG. 23

10072044.020702



25/40




FIG. 24

10072014-020702

26/40

Target thickness for substrate: 50 microns  
Total depth of microlens array: 20 microns




FIG. 25

27/40

Target thickness for substrate: 50 microns  
Total depth of microlens array: 30 microns




FIG. 26

28/40

Target thickness for substrate: 75 microns  
Total depth of microlens array: 20 microns




FIG. 27

29/40

Target thickness for substrate: 75 microns  
Total depth of microlens array: 30 microns




FIG. 28

30/40

Target thickness for substrate: 100 microns

Total depth of microlens array: 20 microns




FIG. 29

31/40

Target thickness for substrate: 100 microns  
Total depth of microlens array: 30 microns




FIG. 30

32/40

Target thickness for substrate: 125 microns  
Total depth of microlens array: 20 microns




FIG. 31



33/40

Target thickness for substrate: 125microns  
Total depth of microlens array: 30 microns




FIG. 32

34/40

Prior Art





FIG. 33

10072014.020702

35/40





FIG. 34

10072014.020702

36/40





FIG. 35

10072014.020702

37/40





FIG. 36

10072014.020702

38/40





FIG. 37

10072014-020702

39/40

10072014-020702





FIG. 38

40/40





FIG. 39

10072014-020702